



Fern Ridge School District

Healthy and Safe Schools Plan

Introduction

In 2017, the Oregon State Legislature passed SB 1062, which requires that, every school district, education service district, and public charter school develop a Healthy and Safe Schools Plan (HASS Plan). Each organization's HASS Plan has specific requirements that must be included for the HASS Plan to comply with state law. All HASS Plans are due to the Oregon Department of Education by July 1, 2019. Additionally, each school district, education service district, and public charter school is required to certify annually that the organization continues to comply with the requirements of the HASS Plan by filing an Annual Statement. The following is the plan developed by Fern Ridge School District 28J to comply with these requirements.

1. Responsible Person

The person responsible for administering and implementing the Healthy and Safe Schools Plan:

Name: Michelle Marshall

Position Title: Director of K-12 Programs

Phone Number: 541-935-2253

Email Address: mmarshall@fernridge.k12.or.us

Mailing Address: 88834 Territorial Road, Elmira, OR 97437

The person who is the designated IPM Coordinator:

Name: Jeff Thiessen

Position Title: Maintenance and Facilities Director

Phone Number: 541-935-2253 ext. 1211

Email Address: jthiessen@fernridge.k12.or.us

Mailing Address: 88834 Territorial Road, Elmira, OR 97437

The person responsible for AHERA information:

Name: Jeff Thiessen

Position Title: Maintenance and Facilities Director

Phone Number: 541-935-2253 ext. 1211

Email Address: jthiessen@fernridge.k12.or.us

Address: 88834 Territorial Road, Elmira, OR 97437

2. List Facilities

All facilities owned or leased by the Fern Ridge School District where students or staff are present on a regular basis are covered by this HASS Plan. The list of those buildings and facilities is below:

Facility Name	Facility Address
District Office	88834 Territorial Road, Elmira, Or 97437
Maintenance/Shop Facility	88834 Territorial Road, Elmira, Or 97437
Bus Barn	88860 Territorial Road, Elmira, Or 97437
Elmira Elementary	88960 Territorial Road, Elmira, Or 97437
Veneta Elementary	88131 Territorial Road, Veneta, Or 97487
Fern Ridge Middle School	88831 Territorial Road, Elmira, Or 97437
Elmira High School	24936 Fir Grove Lane, Elmira, Or 97437

3. Elevated Levels of Lead in Water Used for Drinking or Food Preparation

All school districts, education service districts, and public charter schools are required to test for and eliminate exposure to elevated levels of lead in water used for Drinking and Food Preparation through either remediation or eliminating access, according to OAR 333-061-0400 and OAR 581-022-2223. In conformance with those administrative rules, Fern Ridge School District certifies the following:

1. All testing was done according to the testing requirements in OAR 333-061-0400;
2. All samples were analyzed by a lab accredited by Oregon Health Authority to test for those materials;
3. All water fixtures required to be tested under OAR 333-061-0400 were tested for elevated levels of lead in accordance with the testing schedule developed by the Oregon Health Authority; and
4. Water testing results can be found at the following link:
http://www.fernridge.k12.or.us/wp-content/uploads/2019/07/frsd.water_results.table_for_website.pdf
5. The testing schedule for each building covered by this plan is set forth below:

Facility Name	Year of Last Test	Next Scheduled Test (beginning of 6 year schedule)	Schedule or Exemption Reason
District Office	N/A	2022 fiscal year	6 year cycle, 2028, 2034, etc.
Maintenance/Shop Facility	N/A	2022 fiscal year	6 year cycle, 2028, 2034, etc.
Bus Barn	N/A	2022 fiscal year	6 year cycle, 2028, 2034, etc.

Facility Name	Year of Last Test	Next Scheduled Test (beginning of 6 year schedule)	Schedule or Exemption Reason
Elmira High School	Sept. 2018	2022 fiscal year	6 year cycle, 2028, 2034, etc.
Fern Ridge Middle School	Sept. 2018	2022 fiscal year	6 year cycle, 2028, 2034, etc.
Veneta Elementary School	Aug. 2018	2022 fiscal year	6 year cycle, 2028, 2034, etc.
Elmira Elementary	Sept 2018	2022 fiscal year	Exempt – New Construction 2016— assuming 1ppb or less in 2022 testing

4. Lead Paint

In order to comply with the United States Environmental Protection Agency’s Renovation, Repair and Painting Program Rule, the district will either contract only with certified lead based paint renovation contractors licensed by the Oregon Construction Contractors Board, or use District staff that are certified by the Oregon Health Authority to perform the work.

5. Asbestos

The Fern Ridge School District complies with the federal Asbestos Hazard Emergency Response Act (AHERA). All required asbestos management plans are available for viewing by submitting a request to Jeff Thiessen, Director of Facilities

6. Radon

The Fern Ridge School District has developed a radon plan as required by ORS 332.345. Community members can access a copy of the radon plan here: <http://www.fernridge.k12.or.us/specialservices/wp-content/uploads/sites/30/2016/09/Fern-Ridge-School-District-Radon-Plan.pdf> Test results are public and can be found at the bottom of the page, at this link: <https://www.fernridge.k12.or.us/district-and-state-reports/>

7. Integrated Pest Management

The Fern Ridge School District has adopted an Integrated Pest Management (IPM) plan as required by ORS 634.700 through 634.750. Community members can access a copy of the IPM plan here: <http://www.fernridge.k12.or.us/specialservices/wp-content/uploads/sites/30/2016/09/Fern-Ridge-School-District-IPM-Plan.pdf>

8. Carbon Monoxide Detectors

The Fern Ridge School District certifies that all buildings subject to the Healthy and Safe Schools Plan comply with the carbon monoxide detection standards in the state building code that was in effect when the building was originally constructed or as required by building code due to addition, upgrade, or remodel.

9. Test Results Publication

The Fern Ridge School District is complying with the requirement to provide access to test results, as defined by OAR 581-022-2223 within 10 business days as defined by ORS 332.334. Test results can be found on the district’s website at the bottom of the page at the following link: http://www.fernridge.k12.or.us/?page_id=5734

Additionally, copies of all test results are available at 88834 Territorial Road, Elmira, OR 97437. The Fern Ridge School District will also use other communication programs to provide final test results to staff, students, parents of minor students and other members of the community, such as social media, email, website, newsletters, and key communicator groups. This includes providing actual final test results or providing direct access to final test results through links in the communications. Please contact Michelle Smith @ msmith@fernridge.k12.or.us to be added to current district email lists and programs.

I certify that the above information is true and accurate to the best of my knowledge.

Gary E. Carpenter, Jr.	Superintendent	6/21/2022
Electronic signature of authorized representative	Title	Date